ASUS Chromebox 4



Designed to provide comprehensive solutions for office, retail, education and industrial usages in only 0.9L compact size



Powerful but lightweight, space-saving design

- Features the power of 10th Generation Intel® CoreTM or Celeron® processors
- With support for USB Power Delivery, ASUS Chromebox 4 can charge a connected phone or accessory and can also receive power from a supported display or other device
- Dual HDMI and USB-C®3.2 Gen 1 ports support up to three 4K displays
- Intel® WiFi 6 provides ultrafast network speeds

A simple and seamless digital experience

- Files are automatically synchronized to Google Drive, so you always have access to your files in the cloud anytime and anywhere
- Built-in Google Play support enables access to a rich selection of Android apps for productivity, communication and more via the power of a mini PC

Built-in security features

- Automatic software and security updates protect the system from viruses, malware and other security issues
- Account-based data access makes ASUS Chromebox 4 ideal as a shared computer

Convenient management


• Google Chrome's web-based management console lets you easily manage users, applications or devices across your organization from a single dashboard



Over view:



1 x Audio Jack1 x Micro SD card reader(Line out/ Mic in/ Headphone out)



Accessories list:



- Power Cord
- AC Adapter (80cm)
- Quick Start Guide & Warranty Card
- VESA Mount Kit (Optional)
- Keyboard & Mouse for Chrome OS (Optional)

Feature table:

Power	Security	Reliability	Power
PD input	Kensington lock	24/7 Durability Test	AC Power loss



ASUS Chromebox 4



Model		ASUS Chromebox 4 (Core-i)	ASUS Chromebox 4 (Celeron)	
OS		Chrome Enterprise or ChromeOS		
CPU		Intel® Core™ i7-10510U/ i5-10210U / i3-10110U	Intel® Pentium® Gold 6405U / Celeron® 5205U	
Chipset		Integrated		
Graphics		Integrated - Intel® UHD Graphics 630/610		
Memory		2 x DDR4 SO-DIMM slots for DDR4 2666 MHz, 1 x 4GB - 2 x 16GB (total)	1 x DDR4 SO-DIMM slots for DDR4 2400 MHz, 1 x 4GB - 1 x 16GB (total)	
Storage Wireless Network LAN		1 x eMMC onboard for 32GB - 64GB 1 x M.2 2280 PCIe/SATA slot for 128GB - 512GB SSD(NVMe only) *For higher capacity please refer to QVL (location: official website → Support → CPU / Memory Support)		
		Intel® Wi-Fi 6 and Bluetooth 5.2		
		Intel® LAN, 10/100/1000 Mbps Supports Wake on LAN / PXE / Auto Power on / RTC Wake		
	Front I/O	2 x USB 3.2 Gen2 (10 Gbps, with BC1.2) 1 x Audio Jack(Line out/ Mic in/ Headphone out) 1 x Micro SD card reader	2 x USB 3.2 Gen1 (5 Gbps, with BC1.2) 1 x Audio Jack(Line out/ Mic in/ Headphone out) 1 x Micro SD card reader	
		*All data transfer speed is according to ASUS testing result, actual performance may vary depending on objective environmental changes.		
Interface	Rear I/O	1 x USB 3.2 Gen1 Type-C (5 Gbps, support DP1.4/ PD in) 3 x USB 3.2 Gen2 (10 Gbps) 2 x HDMI 2.0 Port 1 x Intel LAN (RJ45) 1 x Kensington Lock 1 x DC-in 1 x Recovery button	1 x USB 3.2 Gen1 Type-C (5 Gbps, support DP1.4/ PD in) 1 x USB 3.2 Gen1 (5 Gbps) 2 x USB 2.0 2 x HDMI 2.0 Port 1 x Intel LAN (RJ45) 1 x Kensington Lock 1 x DC-in 1 x Recovery button	
TPM BIOS Function		fTPM 2.0 or TPM 2.0 chip (Optional)		
		64 Mb Flash ROM, UEFI AMI BIOS, PnP, DMI2.0, WfM2.0, SM BIOS 2.8, ACPI 5.0, Multi-language BIOS, ASUS EZ Flash 3, ASUS CrashFree BIOS 3, My Favorites, Quick Note and ASUS DRAM SPD (Serial Presence Detect) memory information		
Power Suppl	ly	19.5Vdc, 4.62A, 90W	19.5Vdc, 3.33A or 19Vdc, 3.42A 65W	
	Dimension	148.5 x 148.5 x 40 mm (0.88L)		
Physical	Weight	1 kg		
-	Operating	0°C~50°C		
Temperature	Storage	-40°C ~85℃		
Humidity		0%~95% Relative Humidity		
	Idle mode	<25 dBA		
Acoustic	Full loading	<35 dBA * Test results will vary slightly depending on the HDD/SSD SKU selected by customer		
Certificates		BSMI / CB / CE / FCC / UL / CCC / Energy Star / C-Tick / WiFi / RF / VCCI		