## **ASUS Chromebox 4**



Designed to provide comprehensive solutions for office, retail, education and industrial usages in only 0.9L compact size



































Powerful but lightweight, space-saving design

- Features the power of 10th Generation Intel® Core™ or Celeron® processors
- With support for USB Power Delivery, ASUS Chromebox 4 can charge a connected phone or accessory and can also receive power from a supported display or other device
- Dual HDMI and USB-C®3.2 Gen 1 ports support up to three 4K displays
- Intel® WiFi 6 provides ultrafast network speeds

#### A simple and seamless digital experience

- Files are automatically synchronized to Google Drive, so you always have access to your files in the cloud anytime and anywhere
- Built-in Google Play support enables access to a rich selection of Android apps for productivity, communication and more via the power of a mini PC

#### Built-in security features

- Automatic software and security updates protect the system from viruses, malware and other security issues
- Account-based data access makes ASUS Chromebox 4 ideal as a shared computer


#### Convenient management

• Google Chrome's web-based management console lets you easily manage users, applications or devices across your organization from a single dashboard



### Over view:





## **Accessories list:**



- Power Cord
- AC Adapter (80cm)
- Quick Start Guide & Warranty Card
- VESA Mount Kit (Optional)
- Keyboard & Mouse for Chrome OS (Optional)

## Feature table:

| Power    | Security        | Reliability          | Power         |
|----------|-----------------|----------------------|---------------|
| PD input | Kensington lock | 24/7 Durability Test | AC Power loss |



# **ASUS Chromebox 4**



| Model                               |           | ASUS Chromebox 4 (Core-i)   | ASUS Chromebox 4 (Celeron)  |  |
|-------------------------------------|-----------|---|---|--|
| os                                  |           | Chrome Enterprise or ChromeOS   |   |  |
| СРИ                                 |           | Intel® Core™ i7-10510U/ i5-10210U<br>/ i3-10110U  | Intel® Pentium® Gold 6405U<br>/ Celeron® 5205U  |  |
| Chipset                             |           | Integrated  |   |  |
| Graphics                            |           | Integrated - Intel® UHD Graphics 630/610  |   |  |
| Memory                              |           | 2 x DDR4 SO-DIMM slots for DDR4 2666<br>MHz, 1 x 4GB - 2 x 16GB (total)   | 1x DDR4 SO-DIMM slots for DDR4 2400<br>MHz, 1x 4GB - 1x 16GB (total)  |  |
| Storage                             |           | 1 x eMMC onboard for 32GB - 64GB 1 x M.2 2280 PCle/SATA slot for 128GB - 512GB SSD(NVMe only) *For higher capacity please refer to QVL (location: official website → Support → CPU / Memory Support)                                  |   |  |
| Wireless Network                    |           | Intel® Wi-Fi 6 and Bluetooth 5.2  |   |  |
| LAN                                 |           | Intel® LAN, 10/100/1000 Mbps<br>Supports Wake on LAN / PXE / Auto Power on / RTC Wake   |   |  |
|                                     | Front I/O | 2 x USB 3.2 Gen2 (10 Gbps, with BC1.2)<br>1 x Audio Jack(Line out/ Mic in/ Headphone out)<br>1 x Micro SD card reader   | 2 x USB 3.2 Gen1 (5 Gbps, with BC1.2)<br>1 x Audio Jack(Line out/ Mic in/ Headphone out)<br>1 x Micro SD card reader  |  |
|                                     |           | *All data transfer speed is according to ASUS testing result, actual performance may vary depending on objective environmental changes.   |   |  |
| Interface                           | Rear I/O  | 1x USB 3.2 Gen1 Type-C (5 Gbps, support DP1.4/PD in) 3 x USB 3.2 Gen2 (10 Gbps) 2 x HDMI 2.0 Port 1 x Intel LAN (RJ45) 1 x Kensington Lock 1 x DC-in 1 x Recovery button  | 1 x USB 3.2 Gen1 Type-C (5 Gbps, support DP1.4/ PD in) 1 x USB 3.2 Gen1 (5 Gbps) 2 x USB 2.0 2 x HDMI 2.0 Port 1 x Intel LAN (RJ45) 1 x Kensington Lock 1 x DC-in 1 x Recovery button |  |
| ТРМ                                 |           | fTPM 2.0 or TPM 2.0 chip (Optional)   |   |  |
| BIOS Function                       |           | 64 Mb Flash ROM, UEFI AMI BIOS, PnP, DMI2.0, WfM2.0, SM BIOS 2.8, ACPI 5.0,<br>Multi-language BIOS, ASUS EZ Flash 3, ASUS CrashFree BIOS 3, My Favorites, Quick Note<br>and ASUS DRAM SPD (Serial Presence Detect) memory information |   |  |
| Power Suppl                         | у         | 19.5Vdc, 4.62A, 90W   | 19.5Vdc, 3.33A or 19Vdc, 3.42A 65W  |  |
| Dhysical                            | Dimension | 148.5 x 148.5 x 40 mm (0.88L)   |   |  |
| Physical                            | Weight    | 1 kg  |   |  |
| Operating<br>Temperature<br>Storage |           | 0℃~50℃  |   |  |
|                                     |           | -40℃~85℃  |   |  |
| Humidity                            |           | 0%~95% Relative Humidity  |   |  |
|                                     | Idle mode | <25 dBA   |   |  |
| Acoustic Full<br>loading            |           | <35 dBA * Test results will vary slightly depending on the HDD/SSD SKU selected by customer   |   |  |
| Certificates                        |           | BSMI/CB/CE/FCC/UL/CCC/Energy Star/C-Tick/WiFi/RF/VCCI   |   |  |