ASUS Chromebox 4



Designed to provide comprehensive solutions for office, retail, education and industrial usages in only 0.9L compact size



































Powerful but lightweight, space-saving design

- Features the power of 10th Generation Intel® Core™ or Celeron® processors
- With support for USB Power Delivery, ASUS Chromebox 4 can charge a connected phone or accessory and can also receive power from a supported display or other device
- Dual HDMI and USB-C®3.2 Gen 1 ports support up to three 4K displays
- Intel® WiFi 6 provides ultrafast network speeds

A simple and seamless digital experience

- Files are automatically synchronized to Google Drive, so you always have access to your files in the cloud anytime and anywhere
- Built-in Google Play support enables access to a rich selection of Android apps for productivity, communication and more via the power of a mini PC

Built-in security features

- Automatic software and security updates protect the system from viruses, malware and other security issues
- Account-based data access makes ASUS Chromebox 4 ideal as a shared computer


Convenient management

• Google Chrome's web-based management console lets you easily manage users, applications or devices across your organization from a single dashboard



Over view:





Accessories list:



- Power Cord
- AC Adapter (80cm)
- Quick Start Guide & Warranty Card
- VESA Mount Kit (Optional)
- Keyboard & Mouse for Chrome OS (Optional)

Feature table:

Power	Security	Reliability
PD input	Kensington lock	24/7 Durability Test



ASUS Chromebox 4



Model		ASUS Chromebox 4 (Core-i)	ASUS Chromebox 4 (Celeron)	
os		Chrome Enterprise or ChromeOS		
СРИ		Intel® Core™ i7-10510U/i5-10210U /i3-10110U	Intel® Pentium® Gold 6405U / Celeron® 5205U	
Chipset		Integrated		
Graphics		Integrated - Intel® UHD Graphics 630/610		
Memory		2 x DDR4 SO-DIMM slots for DDR4 2666 MHz, 1 x 4GB - 2 x 16GB (total)	1x DDR4 SO-DIMM slots for DDR4 2400 MHz, 1x 4GB - 1x 16GB (total)	
Storage		1 x eMMC onboard for 32GB - 64GB 1 x M.2 2280 PCle/SATA slot for 128GB - 512GB SSD(NVMe only) *For higher capacity please refer to QVL (location: official website → Support → CPU / Memory Support)		
Wireless Network		Intel® Wi-Fi 6 and Bluetooth 5.2		
LAN		Intel® LAN, 10/100/1000 Mbps Supports Wake on LAN / PXE / Auto Power on / RTC Wake		
Interface	Front I/O	2 x USB 3.2 Gen2 (10 Gbps, with BC1.2) 1 x Audio Jack(Line out/ Mic in/ Headphone out) 1 x Micro SD card reader	2 x USB 3.2 Gen1 (5 Gbps, with BC1.2) 1 x Audio Jack(Line out/ Mic in/ Headphone out) 1 x Micro SD card reader	
		*All data transfer speed is according to ASUS testing result, actual performance may vary depending on objective environmental changes.		
	Rear I/O	1x USB 3.2 Gen1 Type-C (5 Gbps, support DP1.4/ PD in) 3 x USB 3.2 Gen2 (10 Gbps) 2 x HDMI 2.0 Port 1 x Intel LAN (RJ45) 1 x Kensington Lock 1 x DC-in 1 x Recovery button	1 x USB 3.2 Gen1 Type-C (5 Gbps, support DP1.4/ PD in) 1 x USB 3.2 Gen1 (5 Gbps) 2 x USB 2.0 2 x HDMI 2.0 Port 1 x Intel LAN (RJ45) 1 x Kensington Lock 1 x DC-in 1 x Recovery button	
ТРМ		fTPM 2.0 or TPM 2.0 chip (Optional)		
BIOS Functio	n	64 Mb Flash ROM, UEFI AMI BIOS, PnP, DMI2.0, WfM2.0, SM BIOS 2.8, ACPI 5.0, Multi-language BIOS, ASUS EZ Flash 3, ASUS CrashFree BIOS 3, My Favorites, Quick Note and ASUS DRAM SPD (Serial Presence Detect) memory information		
Power Suppl	у	19.5Vdc, 4.62A, 90W	19.5Vdc, 3.33A or 19Vdc, 3.42A 65W	
Dharainal	Dimension	148.5 x 148.5 x 40 mm (0.88L)		
Physical	Weight	1 kg		
Tomporaturo	Operating	0℃~50℃		
Temperature	Storage	-40℃~85℃		
Humidity		0%~95% Relative Humidity		
Idle mode <25 dBA		dBA		
Acoustic	Full loading	<35 dBA * Test results will vary slightly depending on the HDD/SSD SKU selected by customer		
Certificates		BSMI/CB/CE/FCC/UL/CCC/Energy Star/C-Tick/WiFi/RF/VCCI		