



# ASUS NUC 14 PRO+

Style Meets Unparalleled Performance



ASUS NUC 14 Pro+ ultracompact PC offers superior performance that bests all other competitive mini-PCs. It features an eye-catching 5x4-inch premium anodized aluminum chassis with a dynamic cooling system that is whisper quiet. Its toolless chassis access allows channel customers and system integrators to reduce their integration time and costs. Plus, the ASUS NUC 14 Pro+ is the first NUC Pro to harness the prowess of the Intel® Core<sup>TM</sup> Ultra 9 processor to locally run generative AI workloads. With improved I/O capabilities for increased productivity and collaboration and certified Bluetooth® dongle-free connectivity, ASUS NUC 14 Pro+ makes a home office as efficient as the workplace.

## **Key Selling Points**

Performance: Superior performance besting all other competitive mini-PCs

**Design**: Features an eye-catching 5 x 4-inch anodized aluminum chassis

**AI Ready**: Harnesses the prowess of the Intel® Core™ Ultra 9 processor to locally run generative AI workloads

**Wi-Fi Sensing**: Takes advantage of Wi-Fi sensing to deliver instant availability while reducing power consumption

Wireless Connectivity: Delivers seamless connectivity for certified Bluetooth® dongle-free experiences

Customizable: Designed for toolless chassis access making upgrades easier, safer, and faster

### Audience:

- Small and Medium Business Enterprises
- Remote Workers
- Style-conscious Business Executives

### **Target Usages:**

- Collaboration
- Content Creation / Productivity / Entertainment
- Remote Work/Work from Home
- Digital Signage

Specifications, content, and product availability are all subject to change without notice and may differ from country to country. Actual performance may vary depending on the application, usage, environment, and other factors. Full specifications are available at http://www.asus.com





Image A

Image B

#### **Mini-PC & Kit Specifications**

**ASUS NUC 14 PRO+** 

Marketing Name	ASUS NUC 14 Pro+ Mini-PC	ASUS NUC 14 Pro Kit
Project Code	NUC14RVS	NUC14RVS-B
Photo	Image A	Image B
ASUS Logo	Yes	No
ASUS NUC Logo	Yes	No
Color	Silver	Silver
OS Support	Windows 11 64-bit	Windows 11 64-bit Ubuntu 24.04 LTS 64-bit RedHat Enterprise Linux 64-bit Chrome OS Flex
CPU	Intel® Core™ Ultra 9 Processor 185H, cTDP 65W Intel® Core™ Ultra 7 Processor 165H, cTDP 65W Intel® Core™ Ultra 7 Processor 155H, cTDP 65W Intel® Core™ Ultra 5 Processor 135H, cTDP 65W Intel® Core™ Ultra 5 Processor 125H, cTDP 65W	Intel® Core™ Ultra 9 Processor 185H, cTDP 65W Intel® Core™ Ultra 7 Processor 165H, cTDP 65W Intel® Core™ Ultra 7 Processor 155H, cTDP 65W Intel® Core™ Ultra 5 Processor 135H, cTDP 65W Intel® Core™ Ultra 5 Processor 125H, cTDP 65W
Chipset	Integrated	Integrated
Graphics	Intel <sup>®</sup> Arc <sup>™</sup> GPU <sup>1</sup>	Intel <sup>®</sup> Arc <sup>™</sup> GPU <sup>1</sup>
Memory	2 x SO-DIMM, Up to DDR5-5600, 48GB*2	2 x SO-DIMM, Up to DDR5-5600, 48GB*2
Storage	1 x M.2 2280 PCIe Gen4x4, supports 128GB~4TB NVMe SSD 1 x M.2 2242 PCIe Gen4x4, supports 128GB~2TB NVMe SSD	1 x M.2 2280 PCIe Gen4x4, supports 128GB~4TB NVMe SS 1 x M.2 2242 PCIe Gen4x4, supports 128GB~2TB NVMe SS
Wireless Network	Intel <sup>®</sup> Wi-Fi 6E AX211 (Gig+), Bluetooth 5.3	Intel <sup>®</sup> Wi-Fi 6E AX211 (Gig+), Bluetooth 5.3
LAN	Intel <sup>®</sup> Ethernet Controller I226-V/LM, 2.5G <sup>2</sup>	Intel <sup>®</sup> Ethernet Controller I226-V/LM, 2.5G <sup>2</sup>
Audio	Up to 7.1 multichannel (or 8-channel) digital audio on HDMI and DP type C ports	Up to 7.1 multichannel (or 8-channel) digital audio on HDMI
TPM	fTPM	DP type C ports fTPM
Card Reader HDMI CEC	None	None Voc. 2 north on book namel
HDIVII CEC	Yes, 2 ports on back panel	Yes, 2 ports on back panel
Front I/O Ports	1 x USB 3.2 Gen2x2 Type-C 2 x USB 3.2 Gen2 Type-A	1 x USB 3.2 Gen2x2 Type-C 2 x USB 3.2 Gen2 Type-A
Back I/O Ports	2 x Thunderbolt 4 Type-C w/ DisplayPort 1.4 1 x USB 3.2 Gen 2 Type-A 1 x USB 2.0 Type-A 2 x HDMI 2.1 (TMDS) 1 x RJ45 LAN 1 x DC-in 1 x Kensington Lock	2 x Thunderbolt 4 Type-C w/ DisplayPort 1.4 1 x USB 3.2 Gen 2 Type-A 1 x USB 2.0 Type-A 2 x HDMI 2.1 (TMDS) 1 x RJ45 LAN 1 x DC-in 1 x Kensington Lock
Side I/O Ports	N/A	N/A
Power Supply	19.5VDC, 7.69A, 150W Power Adapter (Core Ultra 9) 19VDC, 6.32A, 120W Power Adapter (Core Ultra 5/7)	19.5VDC, 7.69A, 150W Power Adapter (Core Ultra 9) 19VDC, 6.32A, 120W Power Adapter (Core Ultra 5/7)
Operating Temp	0 to 35C	0 to 35C
Storage Temp	-40 to 60C	-40 to 60C
Humidity	0%-92% non-condensing <sup>3</sup>	0%-92% non-condensing <sup>3</sup>
roduct Dimensions (W x D x H)	144 x 112 x 41mm	144 x 112 x 41mm
Product Weights	588g	588g
olor Box Dimensions (W x D x H)	160 x 172 x 121 mm	160 x 172 x 121mm
Package Weight	1520g	1530g
Accessories	AC Adapter + Power Cord <sup>4</sup> VESA Bracket and Screws Safety/Caution/Regulatory Insert Warranty Card	AC Adapter + Power Cord <sup>4</sup> VESA Bracket and Screws Safety/Caution/Regulatory Insert Warranty Card

 $^{(1)}$  Intel® Arc^TM GPU requires using 2 x SO-DIMM

<sup>(2)</sup> Intel® Ethernet Controller I226-LM included on vPro enabled systems

<sup>(3)</sup> Humidity Info detail please check link: <u>Non-condensing humidity as defined by temperature vs dew point</u>.
 <sup>(4)</sup> Power cord included is region specific, and some SKUs do not include the power cord


Specifications, content, and product availability are all subject to change without notice and may differ from country to country. Actual performance may vary depending on the application, usage, environment, and other factors. Full specifications are available at http://www.asus.com





## **ASUS NUC 14 PRO+**

Connections



#### NOTE:

- The most up-to-date and accurate product specifications are available on www.asus.com for download.
- Product and accessory images are for illustrative purposes only. The actual appearance and specifications may vary depending on the model.
  \*The bundled power adapter may vary depending on the model and the country (or region) of sale.
- Some bundled accessories may vary depending on the model. For details on these accessories, refer to their respective user manuals.
- If the device or its components fail or malfunction during normal and proper use within the warranty period, bring the warranty card to the ASUS Service Center for replacement of the defective components.

Specifications, content, and product availability are all subject to change without notice and may differ from country to country. Actual performance may vary depending on the application, usage, environment, and other factors. Full specifications are available at http://www.asus.com